EMERGENCY CARE PLAN

BEE STING ALLERGY

Student:	Grade:	School Contact:	DOB:
Asthmatic: □Yes	□No (increased risk fo	or severe reaction) severity of	reaction(s):
			M Cell #:
Father:	F Home #:	F Work #:	F Cell #:
Emergency Contac	ct:	Relationship:	Phone:
MOUTH		MAY INCLUDE ANY/ALL OF TH lips, tongue or mouth	
THROAT		throat, hoarseness, cough	
SKIN	0.0	velling of face and extremities	Student
STOMACH	· · ·	cramps, vomiting, diarrhea	Student Photo
• LUNG	-	, repetitive cough, wheezing	Plioto
• HEART	"Thready pulse", "pa		
		s can change quickly –	
it is	important that treatm	ent is give immediately.	
STAFF MEMBER	RS INSTRUCTED:	□ Classroom Teacher(s)	□ Special Area Teacher(s)
A	dministration	Support Staff	□ Transportation Staff
TREATMENT:	Remove stinger if vi	sible, apply ice to area. Rinse co	ontact area with water.
Treatment should b	pe initiated 🛛 with sympt	oms 🛛 without waiting for symp	otoms
Benadryl ordered: Yes No Give Benadryl per provider's order			
Denadiyi orderedi			
Call school nurse.	Call parent/guardian if off	school grounds.	
Epinephrine ordere	ed: 🗆 Yes 🗆 No Specia	l instructions:	
			OF THE STING ARE PRESENT
), GIVE EPHINEPHRINE IMMED	DIATELY AND CALL 911.
	if transported:		
		window. After epinephrine, a stud nse. Students receiving epinephri	
	•	3 1 1	•
hospital by ambulance. A staff member should accompany the student to the emergency room if the parent, guardian or emergency contact is not present and adequate supervision for other students is present.			
	,	······	
-	s:	ble on bus	
Healthcare Provider:			
-	opy provided to Parent		
Parent/Guardian S	ianature to share this pla	n with Provider and School Staff	

This plan is in effect for the current school year and summer school as needed.